





- Aerated flow rate ~7 gpm @45 psi
- Handshower flow rate ≤1.5 max gpm
- Deck-mounted handshower and diverter set included
- Optional in-line pressure balancing valve





G-6751-C19B-T Harley Series













- 3/4" male NPT inlets
- Quick connect tub spout





G-1037











• Durable diverter valve

Finishes



Gold



Gold



Gold/Onyx $\mathsf{PVD}\, \mathbb{R}$



PVD®



24K Polished 24K Brushed Brushed Brass Architectural Black™



Brushed Nickel



Brushed Onyx PVD®



Gunmetal $\mathsf{PVD}\, \mathbb{B}$









Matte Black Olive Bronze Onyx PVD® Polished Brass PVD^{\circledR}



Polished Chrome



Polished Chrome/Onyx $\mathsf{PVD}\, \mathbb{R}$

Accents



Polished Nickel



Polished Nickel/Onyx $\mathsf{PVD}\, \mathbb{R}$ Accents





Product Features


Durable diverter valve



Warranty

Limited lifetime warranty

For complete warranty information go to: www.graff-faucets.com/en/info/faqs





G-6156-C19B




Information

- Matches G-6750-*** Roman tub set
- · Handshower hose included






G-6156-C19B-T Harley Series








• Matching deck-mounted handshower and diverter set available





G-6750-C19B-T Harley Series



Roman Tub Trim set is designed to operate with rough G-1037

